L Number	Hits	Search Text	DB	Time stamp
1	59355	(light near6 shield) or (black near6 mask) or (black near6	USPAT;	2003/10/23 13:54
		matrix) or (opaque near6 (film or layer))	US-PGPUB;	
		, (1 (, , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	1493241	(TFT or (thin near6 film near6 transistor)) or switch	USPAT;	2003/10/23 14:01
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	87	((light near6 shield) or (black near6 mask) or (black near6	USPAT;	2003/10/23 14:21
		matrix) or (opaque near6 (film or layer))) near6 connect\$3	US-PGPUB;	
		near6 ((TFT or (thin near6 film near6 transistor)) or switch)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
4	1932	(disclination or (reverse near6 tilt))	USPAT;	2003/10/23 14:03
		(US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	15	(((light near6 shield) or (black near6 mask) or (black near6	USPAT;	2003/10/23 14:03
		matrix) or (opaque near6 (film or layer))) near6 connect\$3	US-PGPUB;	
		near6 ((TFT or (thin near6 film near6 transistor)) or switch))	EPO; JPO;	
		and ((disclination or (reverse near6 tilt)))	DERWENT:	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	•
6	4732	pixel near6 connect\$3 near6 ((TFT or (thin near6 film near6	USPAT;	2003/10/23 15:01
		transistor)) or switch)	US-PGPUB;	
			EPO; JPO;	_
			DERWENT;	•
			IBM_TDB	
8	42	(pixel near6 connect\$3 near6 ((light near6 shield) or (black	USPAT;	2003/10/23 15:16
		near6 mask) or (black near6 matrix) or (opaque near6 (film or	US-PGPUB;	
		layer)))) and (((light near6 shield) or (black near6 mask) or	EPO; JPO;	
		(black near6 matrix) or (opaque near6 (film or layer))) near6	DERWENT;	
		connect\$3 near6 ((TFT or (thin near6 film near6 transistor))	IBM_TDB	
		or switch))		
9	12	((disclination or (reverse near6 tilt))) and ((pixel near6	USPAT;	2003/10/23 14:23
		connect\$3 near6 ((light near6 shield) or (black near6 mask)	US-PGPUB;	
		or (black near6 matrix) or (opaque near6 (film or layer))))	EPO; JPO;	
		and (((light near6 shield) or (black near6 mask) or (black	DERWENT;	
		near6 matrix) or (opaque near6 (film or layer))) near6	IBM_TDB	
		connect\$3 near6 ((TFT or (thin near6 film near6 transistor))		
10	4006	or switch))) pixel near6 (connect\$3 or contact\$3) near6 ((TFT or (thin	LICDAT	2003/10/23 15:03
10	4996		USPAT; US-PGPUB;	2003/10/23 15.03
		near6 film near6 transistor)) or switch)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	50	(((light near6 shield) or (black near6 mask) or (black near6	USPAT;	2003/10/23 15:04
' '	30	matrix) or (opaque near6 (film or layer))) near6 connect\$3	US-PGPUB;	2003/10/23 13,04
		near6 ((TFT or (thin near6 film near6 transistor)) or switch))	EPO; JPO;	
1		and (pixel near6 (connect\$3 or contact\$3) near6 ((TFT or	DERWENT;	:
		(thin near6 film near6 transistor)) or switch))	IBM_TDB	
12	13	((((light near6 shield) or (black near6 mask) or (black near6	USPAT:	2003/10/23 15:04
'-	'3	matrix) or (opaque near6 (film or layer))) near6 connect\$3	US-PGPUB;	2300, 10,20 10.04
		near6 ((TFT or (thin near6 film near6 transistor)) or switch))	EPO; JPO;	
		and (pixel near6 (connect\$3 or contact\$3) near6 ((TFT or	DERWENT;	
		(thin near6 film near6 transistor)) or switch))) and	IBM_TDB	
		((disclination or (reverse near6 tilt)))	- · · · · - ·	

	1 00	0.400		
13	26	349\$.ccls. and ((pixel near6 connect\$3 near6 ((light near6	USPAT;	2003/10/23 15:34
		shield) or (black near6 mask) or (black near6 matrix) or	US-PGPUB;	
	ļ	(opaque near6 (film or layer)))) and (((light near6 shield) or	EPO; JPO;	
		(black near6 mask) or (black near6 matrix) or (opaque near6	DERWENT:	
		(film or layer))) near6 connect\$3 near6 ((TFT or (thin near6	IBM_TDB	
			10W_100	
144	10	film near6 transistor)) or switch)))		0000110100 15 10
14	16	349/141 and spiral	USPAT;	2003/10/23 15:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
Ì			IBM_TDB	
15	4	((disclination or (reverse near6 tilt))) and (349/141 and spiral)	USPAT;	2003/10/23 15:35
'	·	((areametre) (referee means any), and (a for the area spinar)	US-PGPUB;	2000/10/20 10:00
İ			EPO; JPO;	
+				
			DERWENT;	
			IBM_TDB	
16	3946	((TFT or (thin near6 film near6 transistor)) or switch) near6	USPAT;	2003/10/23 15:57
		connect\$3 near6 wiring	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	63075	(alignment or orientation) near6 (film or layer)	USPAT;	2003/10/23 10:42
	00070	(alignment of offentation) flearo (lilin of layer)	US-PGPUB;	2003/10/23 10.42
			EPO; JPO;	
	j		DERWENT;	
			IBM_TDB	•
-	22425	pixel near6 electrode	USPAT;	2003/10/23 10:43
	ĺ		US-PGPUB;	i
	İ		EPO; JPO;	
			DERWENT;	•
			IBM_TDB	
_	88977	contact near6 hole	USPAT;	2003/10/23 10:49
			US-PGPUB;	2000/10/20 10:10
			EPO; JPO;	
		*	DERWENT;	
			,	
		40/004020	IBM_TDB	0000/40/00 40.57
-	1	"10/081238"	USPAT;	2003/10/23 10:57
			US-PGPUB;	
•			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1932	(disclination or (reverse near6 tilt))	USPAT;	2003/10/23 10:59
		["	US-PGPUB;	
	1		EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
	4	(contact near6 hole) near6 (cover\$3 or overlan\$5 or		2003/10/22 11:22
-	"	(contact near6 hole) near6 (cover\$3 or overlap\$5 or	USPAT;	2003/10/23 11:33
		overlay\$3) near6 ((disclination or (reverse near6 tilt)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29076	passivation near6 (film or layer)	USPAT;	2003/10/23 11:34
		· /	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
_	47643	color poor6 filtor	IBM_TDB	2002/40/22 44:27
-	4/043	color near6 filter	USPAT;	2003/10/23 11:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

			· · · · - · - · - · - · - · - · - ·	
-	22955	planariz\$5 near6 (film or layer)	USPAT;	2003/10/23 11:38
			US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
			IBM_TDB	
-	26	(passivation near6 (film or layer)) near6 (color near6 filter)	USPAT;	2003/10/23 11:47
		near6 (planariz\$5 near6 (film or layer))	US-PGPUB;	
			EPO; JPO;	
•			DERWENT;	
			IBM_TDB	
-	472732	insulat\$3 near6 (film or layer)	USPAT;	2003/10/23 11:42
		, , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	22800	laminat\$5 near6 (insulat\$3 near6 (film or layer))	USPAT;	2003/10/23 11:44
		Tanimato nodio (modiate nodio (mm or lajon))	US-PGPUB;	2000, 10,20 11, 11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	244	(contact near6 hole) near6 (laminat\$5 near6 (insulat\$3 near6	USPAT;	2003/10/23 11:44
-		(film or layer)))	US-PGPUB;	2000/10/20 11.44
			EPO; JPO;	
			DERWENT;	
	15	349\$.ccls. and ((contact near6 hole) near6 (laminat\$5 near6	IBM_TDB USPAT;	2003/10/23 13:52
-	13		US-PGPUB;	2003/10/23 13.32
		(insulat\$3 near6 (film or layer))))	EPO; JPO;	
			DERWENT;	
	38	(manaistation many) (film or layer)) many() (aplex many) film)	IBM_TDB	0000/40/00 44:47
-	30	(passivation near6 (film or layer)) near20 (color near6 filter)	USPAT;	2003/10/23 11:47
		near20 (planariz\$5 near6 (film or layer))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(contact moors halo) moors ((moor) water moors (film on town))	IBM_TDB	2002/10/22 11:40
-	1	(contact near6 hole) near6 ((passivation near6 (film or layer))	USPAT;	2003/10/23 11:48
		near20 (color near6 filter) near20 (planariz\$5 near6 (film or	US-PGPUB;	
		layer)))	EPO; JPO;	
			DERWENT;	
		(IBM_TDB	00004000 44.40
-	1	(contact near6 hole) near50 ((passivation near6 (film or	USPAT;	2003/10/23 11:48
		layer)) near20 (color near6 filter) near20 (planariz\$5 near6	US-PGPUB;	
		(film or layer)))	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
-	1	(contact near6 hole) near100 ((passivation near6 (film or	USPAT;	2003/10/23 11:48
1		layer)) near20 (color near6 filter) near20 (planariz\$5 near6	US-PGPUB;	
		(film or layer)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	59355	(light near6 shield) or (black near6 mask) or (black near6	USPAT;	2003/10/23 13:54
		matrix) or (opaque near6 (film or layer))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	·
2	1493241	(TFT or (thin near6 film near6 transistor)) or switch	USPAT;	2003/10/23 14:01
[-	1,00211	The following that the state of	US-PGPUB;	2000/10/20 11:01
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000140100 44.04
3	87	((light near6 shield) or (black near6 mask) or (black near6 matrix) or (opaque near6 (film or layer))) near6 connect\$3	USPAT; US-PGPUB;	2003/10/23 14:21
		near6 ((TFT or (thin near6 film near6 transistor)) or switch)	EPO; JPO;	
		Treato ((TFT of (thin freato thin freato transistor)) of switch)	DERWENT;	
			IBM_TDB	
4	1932	(disclination or (reverse near6 tilt))	USPAT;	2003/10/23 14:03
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
-	45	(((light Cahiald) as (block near) mook) as (block near)	IBM_TDB USPAT;	2003/10/23 14:03
5	15	(((light near6 shield) or (black near6 mask) or (black near6 matrix) or (opaque near6 (film or layer))) near6 connect\$3	US-PGPUB;	2003/10/23 14.03
		near6 ((TFT or (thin near6 film near6 transistor)) or switch))	EPO; JPO;	
		and ((disclination or (reverse near6 tilt)))	DERWENT;	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	IBM_TDB	2
6	4732	pixel near6 connect\$3 near6 ((TFT or (thin near6 film near6	USPAT;	2003/10/23 15:01
		transistor)) or switch)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
8	42	(pixel near6 connect\$3 near6 ((light near6 shield) or (black	USPAT;	2003/10/23 15:16
١	72	near6 mask) or (black near6 matrix) or (opaque near6 (film or	US-PGPUB;	
1		layer)))) and (((light near6 shield) or (black near6 mask) or	EPO; JPO;	
		(black near6 matrix) or (opaque near6 (film or layer))) near6	DERWENT;	
		connect\$3 near6 ((TFT or (thin near6 film near6 transistor))	IBM_TDB	
	40	or switch))	USPAT;	2003/10/23 14:23
9	12	((disclination or (reverse near6 tilt))) and ((pixel near6 connect\$3 near6 ((light near6 shield) or (black near6 mask)	US-PGPUB;	2003/10/23 14.23
		or (black near6 matrix) or (opaque near6 (film or layer))))	EPO; JPO;	
ļ		and (((light near6 shield) or (black near6 mask) or (black	DERWENT;	
		near6 matrix) or (opaque near6 (film or layer))) near6	IBM_TDB	
		connect\$3 near6 ((TFT or (thin near6 film near6 transistor))		
, ,		or switch)))	LICDAT:	2003/10/23 15:03
10	4996	pixel near6 (connect\$3 or contact\$3) near6 ((TFT or (thin near6 film near6 transistor)) or switch)	USPAT; US-PGPUB;	2003/10/23 15:03
		Heard IIIII Heard transistory) or switchy	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
11	50	(((light near6 shield) or (black near6 mask) or (black near6	USPAT;	2003/10/23 15:04
		matrix) or (opaque near6 (film or layer))) near6 connect\$3	US-PGPUB;	
		near6 ((TFT or (thin near6 film near6 transistor)) or switch))	EPO; JPO;	
		and (pixel near6 (connect\$3 or contact\$3) near6 ((TFT or (thin near6 film near6 transistor)) or switch))	DERWENT; IBM_TDB	
12	13	((((light near6 shield) or (black near6 mask) or (black near6	USPAT;	2003/10/23 15:04
12	13	matrix) or (opaque near6 (film or layer))) near6 connect\$3	US-PGPUB;	
		near6 ((TFT or (thin near6 film near6 transistor)) or switch))	EPO; JPO;	
		and (pixel near6 (connect\$3 or contact\$3) near6 ((TFT or	DERWENT;	
		(thin near6 film near6 transistor)) or switch))) and	IBM_TDB	
		((disclination or (reverse near6 tilt)))	L	<u> </u>

13	26	349\$.ccls. and ((pixel near6 connect\$3 near6 ((light near6	USPAT;	2003/10/23 15:34
		shield) or (black near6 mask) or (black near6 matrix) or	US-PGPUB;	
		(opaque near6 (film or layer)))) and (((light near6 shield) or	EPO; JPO;	
		(black near6 mask) or (black near6 matrix) or (opaque near6	DERWENT;	
		(film or layer))) near6 connect\$3 near6 ((TFT or (thin near6	IBM_TDB	
		film near6 transistor)) or switch)))		
14	16	349/141 and spiral	USPAT;	2003/10/23 15:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
15	4	((disclination or (reverse near6 tilt))) and (349/141 and spiral)	USPAT;	2003/10/23 15:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
16	3946	((TFT or (thin near6 film near6 transistor)) or switch) near6	USPAT;	2003/10/23 16:22
		connect\$3 near6 wiring	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
17	3	6147722.did.	USPAT;	2003/10/23 16:23
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	•
-	63075	(alignment or orientation) near6 (film or layer)	USPAT;	2003/10/23 10:42
			US-PGPUB;	
			EPO; JPO;	.
	İ	,	DERWENT;	
			IBM_TDB	
-	22425	pixel near6 electrode	USPAT;	2003/10/23 10:43
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	88977	contact near6 hole	USPAT;	2003/10/23 10:49
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	00004000 40:53
-	1	"10/081238"	USPAT;	2003/10/23 10:57
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		C Park a Park and Carrier Control	IBM_TDB	2002/40/22 40:50
-	1932	(disclination or (reverse near6 tilt))	USPAT;	2003/10/23 10:59
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		0/11/00	IBM_TDB	2002/40/22 44:22
-	4	(contact near6 hole) near6 (cover\$3 or overlap\$5 or	USPAT;	2003/10/23 11:33
	1	overlay\$3) near6 ((disclination or (reverse near6 tilt)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		Control of the contro	IBM_TDB	2002/40/22 44:24
-	29076	passivation near6 (film or layer)	USPAT;	2003/10/23 11:34
			US-PGPUB;	
1			EPO; JPO;	,
1			DERWENT;	
L	L		IBM_TDB	L

-	47643	color near6 filter	USPAT;	2003/10/23 11:37
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	22955	planariz\$5 near6 (film or layer)	USPAT;	2003/10/23 11:38
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
İ			IBM_TDB	0000440400
-	26	(passivation near6 (film or layer)) near6 (color near6 filter)	USPAT;	2003/10/23 11:47
ì		near6 (planariz\$5 near6 (film or layer))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	470700		IBM_TDB	0000/40/00 44.40
-	472732	insulat\$3 near6 (film or layer)	USPAT;	2003/10/23 11:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	22200	laminat\$5 near6 (insulat\$3 near6 (film or layer))	IBM_TDB USPAT;	2003/10/23 11:44
-	22800	laminatas nearo (insulatas nearo (ilim or layer))	US-PGPUB;	2003/10/23 11.44
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	244	(contact near6 hole) near6 (laminat\$5 near6 (insulat\$3 near6	USPAT;	2003/10/23 11:44
-	244	(film or layer)))	US-PGPUB;	2000/10/20 11.44
		(Illini or layer)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	•
	15	349\$.ccls. and ((contact near6 hole) near6 (laminat\$5 near6	USPAT;	2003/10/23 13:52
_	"	(insulat\$3 near6 (film or layer))))	US-PGPUB;	2000/10/20 10:02
		(modiates hears (min or layer////	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	38	(passivation near6 (film or layer)) near20 (color near6 filter)	USPAT;	2003/10/23 11:47
		near20 (planariz\$5 near6 (film or layer))	US-PGPUB;	
	1	(h) (m) (m) (m) (m) (m) (m) (m) (m) (m) (m	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	1	(contact near6 hole) near6 ((passivation near6 (film or layer))	USPAT;	2003/10/23 11:48
		near20 (color near6 filter) near20 (planariz\$5 near6 (film or	US-PGPUB;	
		layer)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(contact near6 hole) near50 ((passivation near6 (film or	USPAT;	2003/10/23 11:48
		layer)) near20 (color near6 filter) near20 (planariz\$5 near6	US-PGPUB;	
		(film or layer)))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	(contact near6 hole) near100 ((passivation near6 (film or	USPAT;	2003/10/23 11:48
		layer)) near20 (color near6 filter) near20 (planariz\$5 near6	US-PGPUB;	
		(film or layer)))	EPO; JPO;	
	1		DERWENT;	
	<u> </u>		IBM_TDB	